SAYBOLT INC.
INNAGE TRIM CORRECTIONS

Down by	1Ft. BOW	1Ft. STERN	2Ft. BOW	2Ft. STERN	3Ft. BOW	3Ft. STERN	4Ft. BOW	4Ft. STERN	5Ft. BOW	5Ft. STERN	6Ft. BOW	6Ft. STERN
1 CNTR	+00-0/0	-00-0/0	+00-1/8	-00-1/8	+00-1/8	-00-1/8	+00-1/8	-00-1/8	+00-1/4	-00-1/4	+00-1/4	-00-1/4
2 CNTR	-00-1/8	+00-1/8	-00-1/8	+00-1/8	-00-1/4	+00-1/4	-00-3/8	+00-3/8	-00-3/8	+00-3/8	-00-1/2	+00-1/2
3 CNTR	+00-0/0	-00-0/0	+00-1/8	-00-1/8	+00-1/8	-00-1/8	+00-1/8	-00-1/8	+00-1/8	-00-1/8	+00-1/4	-00-1/4
4 CNTR	-00-0/0	+00-0/0	-00-1/8	+00-1/8	-00-1/8	+00-1/8	-00-1/8	+00-1/8	-00-1/8	+00-1/8	-00-1/4	+00-1/4

(EXAMPLE FOR USE OF ABOVE TRIM CORRECTIONS)

LENGTH BETWEEN DRAFT MARKS 106.00'

FWD. DRAFT = 6'-0"
FT. DRAFT = 9'-0"

DIFF.= 3'-0" (DOWN BY STERN)

TRIM CORRECTION FOR 3'-0/0" (1 CNTR) FROM ABOVE TABLE IS -00-1/8" TO OBSERVED INNAGE GAUGE OF 1'-0/0"
THE TRIM CORRECTED INNAGE IS 0'-11 7/8"

SAYBOLT INC.
PASADENA, TEXAS
OCTOBER 1997

SAYBOLT INC.
GULF COAST HEADQUARTERS
P.O. BOX 4364
PASADENA, TEXAS 77502

BARGE "PBL-1101"

1 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY BARGE "APEX-1503"

GAUGE HEIGHT 15'-2 5/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	1.91	0	257.21	0	543.35	0	829.14	0	1,114.98	0	1,401.12	0	1,687.27	0	1,973.41	0	2,259.55	0	2,545.69
1/4	2.73	1/4	263.17	1/4	549.31	1/4	835.08	1/4	1,120.94	1/4	1,407.09	1/4	1,693.23	1/4	1,979.37	1/4	2,265.51	1/4	2,551.65
1/2	3.55	1/2	269.13	1/2	555.27	1/2	841.03	1/2	1,126.90	1/2	1,413.05	1/2	1,699.19	1/2	1,985.33	1/2	2,271.47	1/2	2,557.62
3/4	5.36	3/4	275.10	3/4	561.23	3/4	846.97	3/4	1,132.87	3/4	1,419.01	3/4	1,705.15	3/4	1,991.29	3/4	2,277.43	3/4	2,563.58
1	8.17	1	281.06	1	567.19	1	852.92	1	1,138.83	1	1,424.97	1	1,711.11	1	1,997.25	1	2,283.40	1	2,569.54
1/4	10.97	1/4	287.02	1/4	573.16	1/4	858.86	1/4	1,144.79	1/4	1,430.93	1/4	1,717.07	1/4	2,003.22	1/4	2,289.36	1/4	2,575.50
1/2	13.78	1/2	292.98	1/2	579.12	1/2	864.81	1/2	1,150.75	1/2	1,436.89	1/2	1,723.03	1/2	2,009.18	1/2	2,295.32	1/2	2,581.46
3/4	17.58	3/4	298.94	3/4	585.08	3/4	870.75	3/4	1,156.71	3/4	1,442.85	3/4	1,729.00	3/4	2,015.14	3/4	2,301.28	3/4	2,587.42
2	22.37	2	304.90	2	591.04	2	876.70	2	1,162.67	2	1,448.81	2	1,734.96	2	2,021.10	2	2,307.24	2	2,593.38
1/4	27.17	1/4	310.86	1/4	597.00	1/4	882.64	1/4	1,168.63	1/4	1,454.78	1/4	1,740.92	1/4	2,027.06	1/4	2,313.20	1/4	2,599.35
1/2	31.96	1/2	316.82	1/2	602.96	1/2	888.59	1/2	1,174.59	1/2	1,460.74	1/2	1,746.88	1/2	2,033.02	1/2	2,319.16	1/2	2,605.31
3/4	37.25	3/4	322.79	3/4	608.92	3/4	894.53	3/4	1,180.56	3/4	1,466.70	3/4	1,752.84	3/4	2,038.98	3/4	2,325.13	3/4	2,611.27
3	43.04	3	328.75	3	614.88	3	900.47	3	1,186.52	3	1,472.66	3	1,758.80	3	2,044.94	3	2,331.09	3	2,617.23
1/4	48.83	1/4	334.71	1/4	620.85	1/4	906.42	1/4	1,192.48	1/4	1,478.62	1/4	1,764.76	1/4	2,050.91	1/4	2,337.05	1/4	2,623.19
1/2	54.62	1/2	340.67	1/2	626.81	1/2	912.36	1/2	1,198.44	1/2	1,484.58	1/2	1,770.72	1/2	2,056.87	1/2	2,343.01	1/2	2,629.15
3/4	60.49	3/4	346.63	3/4	632.77	3/4	918.31	3/4	1,204.40	3/4	1,490.54	3/4	1,776.69	3/4	2,062.83	3/4	2,348.97	3/4	2,635.11
4	66.45	4	352.59	4	638.73	4	924.26	4	1,210.36	4	1,496.50	4	1,782.65	4	2,068.79	4	2,354.93	4	2,641.07
1/4	72.42	1/4	358.55	1/4	644.69	1/4	930.20	1/4	1,216.32	1/4	1,502.47	1/4	1,788.61	1/4	2,074.75	1/4	2,360.89	1/4	2,647.04
1/2	78.38	1/2	364.51	1/2	650.65	1/2	936.15	1/2	1,222.28	1/2	1,508.43	1/2	1,794.57	1/2	2,080.71	1/2	2,366.85	1/2	2,653.00
3/4	84.34	3/4	370.48	3/4	656.61	3/4	942.10	3/4	1,228.25	3/4	1,514.39	3/4	1,800.53	3/4	2,086.67	3/4	2,372.82	3/4	2,658.96
5	90.30	5	376.44	5	662.57	5	948.07	5	1,234.21	5	1,520.35	5	1,806.49	5	2,092.63	5	2,378.78	5	2,664.92
1/4	96.26	1/4	382.40	1/4	668.54	1/4	954.03	1/4	1,240.17	1/4	1,526.31	1/4	1,812.45	1/4	2,098.60	1/4	2,384.74	1/4	2,670.88
1/2	102.22	1/2	388.36	1/2	674.50	1/2	959.99	1/2	1,246.13	1/2	1,532.27	1/2	1,818.41	1/2	2,104.56	1/2	2,390.70	1/2	2,676.84
3/4	108.18	3/4	394.32	3/4	680.46	3/4	965.95	3/4	1,252.09	3/4	1,538.23	3/4	1,824.38	3/4	2,110.52	3/4	2,396.66	3/4	2,682.80
6	114.14	6	400.28	6	686.42	6	971.91	6	1,258.05	6	1,544.20	6	1,830.34	6	2,116.48	6	2,402.62	6	2,688.76
1/4	120.10	1/4	406.24	1/4	692.38	1/4	977.87	1/4	1,264.01	1/4	1,550.16	1/4	1,836.30	1/4	2,122.44	1/4	2,408.58	1/4	2,694.73
1/2	126.07	1/2	412.20	1/2	698.34	1/2	983.83	1/2	1,269.98	1/2	1,556.12	1/2	1,842.26	1/2	2,128.40	1/2	2,414.54	1/2	2,700.69
3/4	132.03	3/4	418.16	3/4	704.30	3/4	989.79	3/4	1,275.94	3/4	1,562.08	3/4	1,848.22	3/4	2,134.36	3/4	2,420.51	3/4	2,706.65
7	137.99	7	424.13	7	710.24	7	995.76	7	1,281.90	7	1,568.04	7	1,854.18	7	2,140.33	7	2,426.47	7	2,712.61
1/4	143.95	1/4	430.09	1/4	716.19	1/4	1,001.72	1/4	1,287.86	1/4	1,574.00	1/4	1,860.14	1/4	2,146.29	1/4	2,432.43	1/4	2,718.57
1/2	149.91	1/2	436.05	1/2	722.14	1/2	1,007.68	1/2	1,293.82	1/2	1,579.96	1/2	1,866.11	1/2	2,152.25	1/2	2,438.39	1/2	2,724.53
3/4	155.87	3/4	442.01	3/4	728.08	3/4	1,013.64	3/4	1,299.78	3/4	1,585.92	3/4	1,872.07	3/4	2,158.21	3/4	2,444.35	3/4	2,730.49
8	161.83	8	447.97	8	734.03	8	1,019.60	8	1,305.74	8	1,591.89	8	1,878.03	8	2,164.17	8	2,450.31	8	2,736.46
1/4	167.79	1/4	453.93	1/4	739.97	1/4	1,025.56	1/4	1,311.70	1/4	1,597.85	1/4	1,883.99	1/4	2,170.13	1/4	2,456.27	1/4	2,742.42
1/2	173.76	1/2	459.89	1/2	745.91	1/2	1,031.52	1/2	1,317.67	1/2	1,603.81	1/2	1,889.95	1/2	2,176.09	1/2	2,462.24	1/2	2,748.38
3/4	179.72	3/4	465.85	3/4	751.86	3/4	1,037.48	3/4	1,323.63	3/4	1,609.77	3/4	1,895.91	3/4	2,182.05	3/4	2,468.20	3/4	2,754.34
9	185.68	9	471.82	9	757.80	9	1,043.45	9	1,329.59	9	1,615.73	9	1,901.87	9	2,188.02	9	2,474.16	9	2,760.30
1/4	191.64	1/4	477.78	1/4	763.75	1/4	1,049.41	1/4	1,335.55	1/4	1,621.69	1/4	1,907.83	1/4	2,193.98	1/4	2,480.12	1/4	2,766.26
1/2	197.60	1/2	483.74	1/2	769.69	1/2	1,055.37	1/2	1,341.51	1/2	1,627.65	1/2	1,913.80	1/2	2,199.94	1/2	2,486.08	1/2	2,772.22
3/4	203.56	3/4	489.70	3/4	775.64	3/4	1,061.33	3/4	1,347.47	3/4	1,633.61	3/4	1,919.76	3/4	2,205.90	3/4	2,492.04	3/4	2,778.18
10	209.52	10	495.66	10	781.58	10	1,067.29	10	1,353.43	10	1,639.58	10	1,925.72	10	2,211.86	10	2,498.00	10	2,784.15
1/4	215.48	1/4	501.62	1/4	787.53	1/4	1,073.25	1/4	1,359.39	1/4	1,645.54	1/4	1,931.68	1/4	2,217.82	1/4	2,503.96	1/4	2,790.11
1/2	221.45	1/2	507.58	1/2	793.47	1/2	1,079.21	1/2	1,365.36	1/2	1,651.50	1/2	1,937.64	1/2	2,223.78	1/2	2,509.93	1/2	2,796.07
3/4	227.41	3/4	513.54	3/4	799.42	3/4	1,085.18	3/4	1,371.32	3/4	1,657.46	3/4	1,943.60	3/4	2,229.74	3/4	2,515.89	3/4	2,802.03
11	233.37	11	519.51	11	805.36	11	1,091.14	11	1,377.28	11	1,663.42	11	1,949.56	11	2,235.71	11	2,521.85	11	2,807.99
1/4	239.33	1/4	525.47	1/4	811.31	1/4	1,097.10	1/4	1,383.24	1/4	1,669.38	1/4	1,955.52	1/4	2,241.67	1/4	2,527.81	1/4	2,813.95
1/2	245.29	1/2	531.43	1/2	817.25	1/2	1,103.06	1/2	1,389.20	1/2	1,675.34	1/2	1,961.49	1/2	2,247.63	1/2	2,533.77	1/2	2,819.91
3/4	251.25	3/4	537.39	3/4	823.19	3/4	1,109.02	3/4	1,395.16	3/4	1,681.30	3/4	1,967.45	3/4	2,253.59	3/4	2,539.73	3/4	2,825.87

NOTE: CAPACITY TABLE APPLIES ONLY WHEN BARGE IS ON EVEN KEEL.
NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7
NOTE: GAUGE POINT TO TOP LIP OF 8" GAUGE HATCH, OPPOSITE HINGE,
LOCATED 2'-6" OFF CENTERLINE AND 17'-6" FORWARD OF AFT BULKHEAD.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

SAYBOLT INC.

H. Wallace III

SAYBOLT INC.
GULF COAST HEADQUARTERS
P.O. BOX 4364
PASADENA, TEXAS 77502

BARGE "PBL-1101"

1 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY BARGE "APEX-1503"

GAUGE HEIGHT 15'-2 5/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,831.84	0	3,117.98	0	3,402.68	0		0		0		0		0		0		0	
1/4	2,837.80	1/4	3,123.94	1/4	3,407.82	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,843.76	1/2	3,129.90	1/2	3,412.55	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,849.72	3/4	3,135.86	3/4	3,417.28	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1	2,855.68	1	3,141.82	1	3,422.00	1		1		1		1		1		1		1	
1/4	2,861.64	1/4	3,147.78	1/4	3,426.32	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,867.60	1/2	3,153.75	1/2	3,430.22	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,873.56	3/4	3,159.71	3/4	3,434.13	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2	2,879.53	2	3,165.67	2	3,438.04	2		2		2		2		2		2		2	
1/4	2,885.49	1/4	3,171.63	1/4	3,441.53	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,891.45	1/2	3,177.59	1/2	3,444.61	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,897.41	3/4	3,183.55	3/4	3,447.69	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3	2,903.37	3	3,189.51	3	3,450.78	3		3		3		3		3		3		3	
1/4	2,909.33	1/4	3,195.48	1/4	3,453.45	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,915.29	1/2	3,201.44	1/2	3,455.71	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,921.26	3/4	3,207.40	3/4	3,457.97	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4	2,927.22	4	3,213.36	4	3,460.23	4		4		4		4		4		4		4	
1/4	2,933.18	1/4	3,219.32	1/4	3,462.08	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,939.14	1/2	3,225.28	1/2	3,463.52	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,945.10	3/4	3,231.24	3/4	3,464.95	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5	2,951.06	5	3,237.20	5	3,466.39	5		5		5		5		5		5		5	
1/4	2,957.02	1/4	3,243.17	1/4	3,467.42	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,962.98	1/2	3,249.13	1/2	3,468.03	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,968.95	3/4	3,255.09	3/4	3,468.65	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6	2,974.91	6	3,261.05	6	3,469.26	6		6		6		6		6		6		6	
1/4	2,980.87	1/4	3,267.01	1/4	3,469.62	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,986.83	1/2	3,272.97	3/8	3,469.67	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,992.79	3/4	3,278.93	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	2,998.75	7	3,284.89	7		7		7		7		7		7		7		7	
1/4	3,004.71	1/4	3,290.86	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,010.67	1/2	3,296.82	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,016.64	3/4	3,302.78	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	3,022.60	8	3,308.74	8		8		8		8		8		8		8		8	
1/4	3,028.56	1/4	3,314.70	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,034.52	1/2	3,320.66	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,040.48	3/4	3,326.62	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	3,046.44	9	3,332.59	9		9		9		9		9		9		9		9	
1/4	3,052.40	1/4	3,338.55	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,058.37	1/2	3,344.51	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,064.33	3/4	3,350.47	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	3,070.29	10	3,356.43	10		10		10		10		10		10		10		10	
1/4	3,076.25	1/4	3,362.39	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,082.21	1/2	3,368.35	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,088.17	3/4	3,374.31	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	3,094.13	11	3,380.28	11		11		11		11		11		11		11		11	
1/4	3,100.09	1/4	3,386.03	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,106.06	1/2	3,391.58	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,112.02	3/4	3,397.13	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

SAYBOLT INC.

H.S. Woodcock

SAYBOLT INC.
GULF COAST HEADQUARTERS
P.O. BOX 4364
PASADENA, TEXAS 77502

BARGE "PBL-1101"

2 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY BARGE "APEX-1503"

GAUGE HEIGHT 15'-3"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	2.01	0	274.01	0	578.68	0	882.59	0	1,186.60	0	1,491.28	0	1,795.96	0	2,100.63	0	2,405.31	0	2,709.98
1/4	2.89	1/4	280.35	1/4	585.02	1/4	888.90	1/4	1,192.95	1/4	1,497.63	1/4	1,802.30	1/4	2,106.98	1/4	2,411.65	1/4	2,716.33
1/2	3.77	1/2	286.70	1/2	591.37	1/2	895.21	1/2	1,199.30	1/2	1,503.97	1/2	1,808.65	1/2	2,113.33	1/2	2,418.00	1/2	2,722.68
3/4	5.71	3/4	293.05	3/4	597.72	3/4	901.52	3/4	1,205.65	3/4	1,510.32	3/4	1,815.00	3/4	2,119.67	3/4	2,424.35	3/4	2,729.02
1	8.71	1	299.39	1	604.06	1	907.83	1	1,211.99	1	1,516.67	1	1,821.34	1	2,126.02	1	2,430.70	1	2,735.37
1/4	11.71	1/4	305.74	1/4	610.41	1/4	914.14	1/4	1,218.34	1/4	1,523.02	1/4	1,827.69	1/4	2,132.37	1/4	2,437.04	1/4	2,741.72
1/2	14.71	1/2	312.09	1/2	616.76	1/2	920.45	1/2	1,224.69	1/2	1,529.36	1/2	1,834.04	1/2	2,138.71	1/2	2,443.39	1/2	2,748.07
3/4	18.77	3/4	318.44	3/4	623.11	3/4	926.77	3/4	1,231.04	3/4	1,535.71	3/4	1,840.39	3/4	2,145.06	3/4	2,449.74	3/4	2,754.41
2	23.88	2	324.78	2	629.45	2	933.08	2	1,237.38	2	1,542.06	2	1,846.73	2	2,151.41	2	2,456.08	2	2,760.76
1/4	29.00	1/4	331.13	1/4	635.80	1/4	939.39	1/4	1,243.73	1/4	1,548.41	1/4	1,853.08	1/4	2,157.76	1/4	2,462.43	1/4	2,767.11
1/2	34.12	1/2	337.48	1/2	642.15	1/2	945.70	1/2	1,250.08	1/2	1,554.75	1/2	1,859.43	1/2	2,164.10	1/2	2,468.78	1/2	2,773.45
3/4	39.76	3/4	343.83	3/4	648.50	3/4	952.01	3/4	1,256.43	3/4	1,561.10	3/4	1,865.78	3/4	2,170.45	3/4	2,475.13	3/4	2,779.80
3	45.94	3	350.17	3	654.84	3	958.32	3	1,262.77	3	1,567.45	3	1,872.12	3	2,176.80	3	2,481.47	3	2,786.15
1/4	52.11	1/4	356.52	1/4	661.19	1/4	964.63	1/4	1,269.12	1/4	1,573.80	1/4	1,878.47	1/4	2,183.15	1/4	2,487.82	1/4	2,792.50
1/2	58.28	1/2	362.87	1/2	667.54	1/2	970.95	1/2	1,275.47	1/2	1,580.14	1/2	1,884.82	1/2	2,189.49	1/2	2,494.17	1/2	2,798.84
3/4	64.54	3/4	369.21	3/4	673.89	3/4	977.26	3/4	1,281.82	3/4	1,586.49	3/4	1,891.17	3/4	2,195.84	3/4	2,500.52	3/4	2,805.19
4	70.89	4	375.56	4	680.23	4	983.57	4	1,288.16	4	1,592.84	4	1,897.51	4	2,202.19	4	2,506.86	4	2,811.54
1/4	77.24	1/4	381.91	1/4	686.58	1/4	989.89	1/4	1,294.51	1/4	1,599.19	1/4	1,903.86	1/4	2,208.54	1/4	2,513.21	1/4	2,817.89
1/2	83.59	1/2	388.26	1/2	692.93	1/2	996.20	1/2	1,300.86	1/2	1,605.53	1/2	1,910.21	1/2	2,214.88	1/2	2,519.56	1/2	2,824.23
3/4	89.93	3/4	394.60	3/4	699.27	3/4	1,002.53	3/4	1,307.21	3/4	1,611.88	3/4	1,916.56	3/4	2,221.23	3/4	2,525.91	3/4	2,830.58
5	96.28	5	400.95	5	705.62	5	1,008.88	5	1,313.55	5	1,618.23	5	1,922.90	5	2,227.58	5	2,532.25	5	2,836.93
1/4	102.63	1/4	407.30	1/4	711.97	1/4	1,015.23	1/4	1,319.90	1/4	1,624.58	1/4	1,929.25	1/4	2,233.93	1/4	2,538.60	1/4	2,843.28
1/2	108.98	1/2	413.65	1/2	718.32	1/2	1,021.57	1/2	1,326.25	1/2	1,630.92	1/2	1,935.60	1/2	2,240.27	1/2	2,544.95	1/2	2,849.62
3/4	115.32	3/4	419.99	3/4	724.66	3/4	1,027.92	3/4	1,332.60	3/4	1,637.27	3/4	1,941.95	3/4	2,246.62	3/4	2,551.30	3/4	2,855.97
6	121.57	6	426.34	6	731.01	6	1,034.27	6	1,338.94	6	1,643.62	6	1,948.29	6	2,252.97	6	2,557.64	6	2,862.32
1/4	128.02	1/4	432.69	1/4	737.36	1/4	1,040.61	1/4	1,345.29	1/4	1,649.97	1/4	1,954.64	1/4	2,259.32	1/4	2,563.99	1/4	2,868.67
1/2	134.36	1/2	439.03	1/2	743.71	1/2	1,046.96	1/2	1,351.64	1/2	1,656.31	1/2	1,960.99	1/2	2,265.66	1/2	2,570.34	1/2	2,875.01
3/4	140.71	3/4	445.38	3/4	750.04	3/4	1,053.31	3/4	1,357.98	3/4	1,662.66	3/4	1,967.34	3/4	2,272.01	3/4	2,576.69	3/4	2,881.36
7	147.06	7	451.73	7	756.35	7	1,059.66	7	1,364.33	7	1,669.01	7	1,973.68	7	2,278.36	7	2,583.03	7	2,887.71
1/4	153.41	1/4	458.08	1/4	762.66	1/4	1,066.00	1/4	1,370.68	1/4	1,675.35	1/4	1,980.03	1/4	2,284.71	1/4	2,589.38	1/4	2,894.06
1/2	159.75	1/2	464.42	1/2	768.98	1/2	1,072.35	1/2	1,377.03	1/2	1,681.70	1/2	1,986.38	1/2	2,291.05	1/2	2,595.73	1/2	2,900.40
3/4	166.10	3/4	470.77	3/4	775.29	3/4	1,078.70	3/4	1,383.37	3/4	1,688.05	3/4	1,992.72	3/4	2,297.40	3/4	2,602.08	3/4	2,906.75
8	172.45	8	477.12	8	781.60	8	1,085.05	8	1,389.72	8	1,694.40	8	1,999.07	8	2,303.75	8	2,608.42	8	2,913.10
1/4	178.80	1/4	483.47	1/4	787.91	1/4	1,091.39	1/4	1,396.07	1/4	1,700.74	1/4	2,005.42	1/4	2,310.09	1/4	2,614.77	1/4	2,919.45
1/2	185.14	1/2	489.81	1/2	794.22	1/2	1,097.74	1/2	1,402.42	1/2	1,707.09	1/2	2,011.77	1/2	2,316.44	1/2	2,621.12	1/2	2,925.79
3/4	191.49	3/4	496.16	3/4	800.54	3/4	1,104.09	3/4	1,408.76	3/4	1,713.44	3/4	2,018.11	3/4	2,322.79	3/4	2,627.46	3/4	2,932.14
9	197.84	9	502.51	9	806.85	9	1,110.44	9	1,415.11	9	1,719.79	9	2,024.46	9	2,329.14	9	2,633.81	9	2,938.49
1/4	204.18	1/4	508.86	1/4	813.16	1/4	1,116.78	1/4	1,421.46	1/4	1,726.13	1/4	2,030.81	1/4	2,335.48	1/4	2,640.16	1/4	2,944.83
1/2	210.53	1/2	515.20	1/2	819.47	1/2	1,123.13	1/2	1,427.81	1/2	1,732.48	1/2	2,037.16	1/2	2,341.83	1/2	2,646.51	1/2	2,951.18
3/4	216.88	3/4	521.55	3/4	825.78	3/4	1,129.48	3/4	1,434.15	3/4	1,738.83	3/4	2,043.50	3/4	2,348.18	3/4	2,652.85	3/4	2,957.53
10	223.23	10	527.90	10	832.09	10	1,135.83	10	1,440.50	10	1,745.18	10	2,049.85	10	2,354.53	10	2,659.20	10	2,963.88
1/4	229.57	1/4	534.24	1/4	838.40	1/4	1,142.17	1/4	1,446.85	1/4	1,751.52	1/4	2,056.20	1/4	2,360.87	1/4	2,665.55	1/4	2,970.22
1/2	235.92	1/2	540.59	1/2	844.72	1/2	1,148.52	1/2	1,453.20	1/2	1,757.87	1/2	2,062.55	1/2	2,367.22	1/2	2,671.90	1/2	2,976.57
3/4	242.27	3/4	546.94	3/4	851.03	3/4	1,154.87	3/4	1,459.54	3/4	1,764.22	3/4	2,068.89	3/4	2,373.57	3/4	2,678.24	3/4	2,982.92
11	248.62	11	553.29	11	857.34	11	1,161.22	11	1,465.89	11	1,770.57	11	2,075.24	11	2,379.92	11	2,684.59	11	2,989.27
1/4	254.96	1/4	559.63	1/4	863.65	1/4	1,167.56	1/4	1,472.24	1/4	1,776.91	1/4	2,081.59	1/4	2,386.26	1/4	2,690.94	1/4	2,995.61
1/2	261.31	1/2	565.98	1/2	869.96	1/2	1,173.91	1/2	1,478.59	1/2	1,783.26	1/2	2,087.94	1/2	2,392.61	1/2	2,697.29	1/2	3,001.96
3/4	267.66	3/4	572.33	3/4	876.27	3/4	1,180.26	3/4	1,484.93	3/4	1,789.61	3/4	2,094.28	3/4	2,398.96	3/4	2,703.63	3/4	3,008.31

NOTE: CAPACITY TABLE APPLIES ONLY WHEN BARGE IS ON EVEN KEEL.
NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7
NOTE: GAUGE POINT TO TOP LIP OF 8" GAUGE HATCH, OPPOSITE HINGE,
LOCATED 2'-6" OFF CENTERLINE AND 19'-9" FORWARD OF AFT BULKHEAD.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

SAYBOLT INC.

H.B. Moore III

SAYBOLT INC.
GULF COAST HEADQUARTERS
P.O. BOX 4364
PASADENA, TEXAS 77502

BARGE "PBL-1101"

2 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY BARGE "APEX-1503"

GAUGE HEIGHT 15'-3"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,014.66	0	3,319.33	0	3,622.47	0		0		0		0		0		0		0	
1/4	3,021.00	1/4	3,325.68	1/4	3,627.95	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,027.35	1/2	3,332.03	1/2	3,632.98	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,033.70	3/4	3,338.37	3/4	3,638.01	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1	3,040.05	1	3,344.72	1	3,643.05	1		1		1		1		1		1		1	
1/4	3,046.39	1/4	3,351.07	1/4	3,647.64	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,052.74	1/2	3,357.42	1/2	3,651.80	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,059.09	3/4	3,363.76	3/4	3,655.96	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2	3,065.44	2	3,370.11	2	3,660.12	2		2		2		2		2		2		2	
1/4	3,071.78	1/4	3,376.46	1/4	3,663.84	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,078.13	1/2	3,382.81	1/2	3,667.12	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,084.48	3/4	3,389.15	3/4	3,670.40	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3	3,090.82	3	3,395.50	3	3,673.68	3		3		3		3		3		3		3	
1/4	3,097.17	1/4	3,401.85	1/4	3,676.53	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,103.52	1/2	3,408.19	1/2	3,678.93	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,109.87	3/4	3,414.54	3/4	3,681.34	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4	3,116.21	4	3,420.89	4	3,683.75	4		4		4		4		4		4		4	
1/4	3,122.56	1/4	3,427.24	1/4	3,685.72	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,128.91	1/2	3,433.58	1/2	3,687.25	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,135.26	3/4	3,439.93	3/4	3,688.78	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5	3,141.60	5	3,446.28	5	3,690.31	5		5		5		5		5		5		5	
1/4	3,147.95	1/4	3,452.63	1/4	3,691.40	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,154.30	1/2	3,458.97	1/2	3,692.06	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,160.65	3/4	3,465.32	3/4	3,692.71	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6	3,166.99	6	3,471.67	6	3,693.37	6		6		6		6		6		6		6	
1/4	3,173.34	1/4	3,478.02	1/4	3,693.75	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,179.69	1/2	3,484.36	3/8	3,693.80	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,186.04	3/4	3,490.71	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	3,192.38	7	3,497.06	7		7		7		7		7		7		7		7	
1/4	3,198.73	1/4	3,503.41	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,205.08	1/2	3,509.75	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,211.43	3/4	3,516.10	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	3,217.77	8	3,522.45	8		8		8		8		8		8		8		8	
1/4	3,224.12	1/4	3,528.80	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,230.47	1/2	3,535.14	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,236.82	3/4	3,541.49	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	3,243.16	9	3,547.84	9		9		9		9		9		9		9		9	
1/4	3,249.51	1/4	3,554.19	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,255.86	1/2	3,560.53	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,262.20	3/4	3,566.88	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	3,268.55	10	3,573.23	10		10		10		10		10		10		10		10	
1/4	3,274.90	1/4	3,579.57	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,281.25	1/2	3,585.92	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,287.59	3/4	3,592.27	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	3,293.94	11	3,598.62	11		11		11		11		11		11		11		11	
1/4	3,300.29	1/4	3,604.75	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,306.64	1/2	3,610.65	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,312.98	3/4	3,616.56	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

SAYBOLT INC.

H.S. Moore III

SAYBOLT INC.
GULF COAST HEADQUARTERS
P.O. BOX 4364
PASADENA, TEXAS 77502

BARGE "PBL-1101"

3 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY BARGE "APEX-1503"

GAUGE HEIGHT 15'-3"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	1.11	0	135.02	0	283.63	0	432.05	0	580.49	0	729.10	0	877.71	0	1,026.33	0	1,174.94	0	1,323.55
1/4	1.63	1/4	138.11	1/4	286.73	1/4	435.13	1/4	583.59	1/4	732.20	1/4	880.81	1/4	1,029.42	1/4	1,178.04	1/4	1,326.65
1/2	2.14	1/2	141.21	1/2	289.82	1/2	438.22	1/2	586.68	1/2	735.29	1/2	883.91	1/2	1,032.52	1/2	1,181.13	1/2	1,329.75
3/4	3.18	3/4	144.31	3/4	292.92	3/4	441.30	3/4	589.78	3/4	738.39	3/4	887.00	3/4	1,035.62	3/4	1,184.23	3/4	1,332.84
1	4.72	1	147.40	1	296.01	1	444.39	1	592.87	1	741.49	1	890.10	1	1,038.71	1	1,187.32	1	1,335.94
1/4	6.27	1/4	150.50	1/4	299.11	1/4	447.48	1/4	595.97	1/4	744.58	1/4	893.20	1/4	1,041.81	1/4	1,190.42	1/4	1,339.03
1/2	7.82	1/2	153.59	1/2	302.21	1/2	450.58	1/2	599.07	1/2	747.68	1/2	896.29	1/2	1,044.90	1/2	1,193.52	1/2	1,342.13
3/4	9.88	3/4	156.69	3/4	305.30	3/4	453.65	3/4	602.16	3/4	750.77	3/4	899.39	3/4	1,048.00	3/4	1,196.61	3/4	1,345.23
2	12.46	2	159.79	2	308.40	2	456.74	2	605.26	2	753.87	2	902.48	2	1,051.10	2	1,199.71	2	1,348.32
1/4	15.04	1/4	162.88	1/4	311.49	1/4	459.82	1/4	608.35	1/4	756.97	1/4	905.58	1/4	1,054.19	1/4	1,202.81	1/4	1,351.42
1/2	17.62	1/2	165.98	1/2	314.59	1/2	462.91	1/2	611.45	1/2	760.06	1/2	908.68	1/2	1,057.29	1/2	1,205.90	1/2	1,354.51
3/4	20.46	3/4	169.07	3/4	317.69	3/4	466.00	3/4	614.55	3/4	763.16	3/4	911.77	3/4	1,060.38	3/4	1,209.00	3/4	1,357.61
3	23.56	3	172.17	3	320.78	3	469.08	3	617.64	3	766.26	3	914.87	3	1,063.48	3	1,212.09	3	1,360.71
1/4	26.65	1/4	175.27	1/4	323.88	1/4	472.17	1/4	620.74	1/4	769.35	1/4	917.96	1/4	1,066.58	1/4	1,215.19	1/4	1,363.80
1/2	29.75	1/2	178.36	1/2	326.98	1/2	475.26	1/2	623.83	1/2	772.45	1/2	921.06	1/2	1,069.67	1/2	1,218.29	1/2	1,366.90
3/4	32.85	3/4	181.46	3/4	330.07	3/4	478.34	3/4	626.93	3/4	775.54	3/4	924.16	3/4	1,072.77	3/4	1,221.38	3/4	1,369.99
4	35.94	4	184.55	4	333.17	4	481.43	4	630.03	4	778.64	4	927.25	4	1,075.87	4	1,224.48	4	1,373.09
1/4	39.04	1/4	187.65	1/4	336.26	1/4	484.52	1/4	633.12	1/4	781.74	1/4	930.35	1/4	1,078.96	1/4	1,227.57	1/4	1,376.19
1/2	42.13	1/2	190.75	1/2	339.36	1/2	487.61	1/2	636.22	1/2	784.83	1/2	933.44	1/2	1,082.06	1/2	1,230.67	1/2	1,379.28
3/4	45.23	3/4	193.84	3/4	342.46	3/4	490.70	3/4	639.31	3/4	787.93	3/4	936.54	3/4	1,085.15	3/4	1,233.77	3/4	1,382.38
5	48.33	5	196.94	5	345.55	5	493.80	5	642.41	5	791.02	5	939.64	5	1,088.25	5	1,236.86	5	1,385.48
1/4	51.42	1/4	200.04	1/4	348.65	1/4	496.89	1/4	645.51	1/4	794.12	1/4	942.73	1/4	1,091.35	1/4	1,239.96	1/4	1,388.57
1/2	54.52	1/2	203.13	1/2	351.74	1/2	499.99	1/2	648.60	1/2	797.22	1/2	945.83	1/2	1,094.44	1/2	1,243.05	1/2	1,391.67
3/4	57.61	3/4	206.23	3/4	354.84	3/4	503.09	3/4	651.70	3/4	800.31	3/4	948.92	3/4	1,097.54	3/4	1,246.15	3/4	1,394.76
6	60.71	6	209.32	6	357.94	6	506.18	6	654.80	6	803.41	6	952.02	6	1,100.63	6	1,249.25	6	1,397.86
1/4	63.81	1/4	212.42	1/4	361.03	1/4	509.28	1/4	657.89	1/4	806.50	1/4	955.12	1/4	1,103.73	1/4	1,252.34	1/4	1,400.96
1/2	66.90	1/2	215.52	1/2	364.13	1/2	512.37	1/2	660.99	1/2	809.60	1/2	958.21	1/2	1,106.83	1/2	1,255.44	1/2	1,404.05
3/4	70.00	3/4	218.61	3/4	367.22	3/4	515.47	3/4	664.08	3/4	812.70	3/4	961.31	3/4	1,109.92	3/4	1,258.53	3/4	1,407.15
7	73.10	7	221.71	7	370.31	7	518.57	7	667.18	7	815.79	7	964.41	7	1,113.02	7	1,261.63	7	1,410.24
1/4	76.19	1/4	224.80	1/4	373.40	1/4	521.66	1/4	670.28	1/4	818.89	1/4	967.50	1/4	1,116.11	1/4	1,264.73	1/4	1,413.34
1/2	79.29	1/2	227.90	1/2	376.49	1/2	524.76	1/2	673.37	1/2	821.98	1/2	970.60	1/2	1,119.21	1/2	1,267.82	1/2	1,416.44
3/4	82.38	3/4	231.00	3/4	379.57	3/4	527.86	3/4	676.47	3/4	825.08	3/4	973.69	3/4	1,122.31	3/4	1,270.92	3/4	1,419.53
8	85.48	8	234.09	8	382.66	8	530.95	8	679.56	8	828.18	8	976.79	8	1,125.40	8	1,274.02	8	1,422.63
1/4	88.58	1/4	237.19	1/4	385.75	1/4	534.05	1/4	682.66	1/4	831.27	1/4	979.89	1/4	1,128.50	1/4	1,277.11	1/4	1,425.72
1/2	91.67	1/2	240.28	1/2	388.83	1/2	537.14	1/2	685.76	1/2	834.37	1/2	982.98	1/2	1,131.59	1/2	1,280.21	1/2	1,428.82
3/4	94.77	3/4	243.38	3/4	391.92	3/4	540.24	3/4	688.85	3/4	837.47	3/4	986.08	3/4	1,134.69	3/4	1,283.30	3/4	1,431.92
9	97.86	9	246.48	9	395.01	9	543.34	9	691.95	9	840.56	9	989.17	9	1,137.79	9	1,286.40	9	1,435.01
1/4	100.96	1/4	249.57	1/4	398.09	1/4	546.43	1/4	695.04	1/4	843.66	1/4	992.27	1/4	1,140.88	1/4	1,289.50	1/4	1,438.11
1/2	104.06	1/2	252.67	1/2	401.18	1/2	549.53	1/2	698.14	1/2	846.75	1/2	995.37	1/2	1,143.98	1/2	1,292.59	1/2	1,441.20
3/4	107.15	3/4	255.77	3/4	404.27	3/4	552.62	3/4	701.24	3/4	849.85	3/4	998.46	3/4	1,147.08	3/4	1,295.69	3/4	1,444.30
10	110.25	10	258.86	10	407.35	10	555.72	10	704.33	10	852.95	10	1,001.56	10	1,150.17	10	1,298.78	10	1,447.40
1/4	113.34	1/4	261.96	1/4	410.44	1/4	558.82	1/4	707.43	1/4	856.04	1/4	1,004.65	1/4	1,153.27	1/4	1,301.88	1/4	1,450.49
1/2	116.44	1/2	265.05	1/2	413.53	1/2	561.91	1/2	710.53	1/2	859.14	1/2	1,007.75	1/2	1,156.36	1/2	1,304.98	1/2	1,453.59
3/4	119.54	3/4	268.15	3/4	416.61	3/4	565.01	3/4	713.62	3/4	862.23	3/4	1,010.85	3/4	1,159.46	3/4	1,308.07	3/4	1,456.69
11	122.63	11	271.25	11	419.70	11	568.10	11	716.72	11	865.33	11	1,013.94	11	1,162.56	11	1,311.17	11	1,459.78
1/4	125.73	1/4	274.34	1/4	422.79	1/4	571.20	1/4	719.81	1/4	868.43	1/4	1,017.04	1/4	1,165.65	1/4	1,314.26	1/4	1,462.88
1/2	128.82	1/2	277.44	1/2	425.87	1/2	574.30	1/2	722.91	1/2	871.52	1/2	1,020.14	1/2	1,168.75	1/2	1,317.36	1/2	1,465.97
3/4	131.92	3/4	280.53	3/4	428.96	3/4	577.39	3/4	726.01	3/4	874.62	3/4	1,023.23	3/4	1,171.84	3/4	1,320.46	3/4	1,469.07

NOTE: CAPACITY TABLE APPLIES ONLY WHEN BARGE IS ON EVEN KEEL.

NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7

NOTE: GAUGE POINT TO TOP LIP OF 8" GAUGE HATCH, OPPOSITE HINGE, LOCATED 2'-6" OFF CENTERLINE AND 9'-0" FORWARD OF AFT BULKHEAD.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

SAYBOLT INC.

H.S. Moore III

SAYBOLT INC.
GULF COAST HEADQUARTERS
P.O. BOX 4364
PASADENA, TEXAS 77502

BARGE "PBL-1101"

3 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY BARGE "APEX-1503"

GAUGE HEIGHT 15'-3"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,472.17	0	1,620.78	0	1,768.64	0		0		0		0		0		0		0	
1/4	1,475.26	1/4	1,623.87	1/4	1,771.31	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,478.36	1/2	1,626.97	1/2	1,773.77	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,481.45	3/4	1,630.07	3/4	1,776.22	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1	1,484.55	1	1,633.16	1	1,778.68	1		1		1		1		1		1		1	
1/4	1,487.65	1/4	1,636.26	1/4	1,780.92	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,490.74	1/2	1,639.36	1/2	1,782.95	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,493.84	3/4	1,642.45	3/4	1,784.98	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2	1,496.93	2	1,645.55	2	1,787.01	2		2		2		2		2		2		2	
1/4	1,500.03	1/4	1,648.64	1/4	1,788.82	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,503.13	1/2	1,651.74	1/2	1,790.42	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,506.22	3/4	1,654.84	3/4	1,792.02	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3	1,509.32	3	1,657.93	3	1,793.62	3		3		3		3		3		3		3	
1/4	1,512.42	1/4	1,661.03	1/4	1,795.01	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,515.51	1/2	1,664.12	1/2	1,796.19	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,518.61	3/4	1,667.22	3/4	1,797.36	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4	1,521.70	4	1,670.32	4	1,798.53	4		4		4		4		4		4		4	
1/4	1,524.80	1/4	1,673.41	1/4	1,799.49	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,527.90	1/2	1,676.51	1/2	1,800.24	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,530.99	3/4	1,679.60	3/4	1,800.99	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5	1,534.09	5	1,682.70	5	1,801.73	5		5		5		5		5		5		5	
1/4	1,537.18	1/4	1,685.80	1/4	1,802.27	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,540.28	1/2	1,688.89	1/2	1,802.59	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,543.38	3/4	1,691.99	3/4	1,802.91	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6	1,546.47	6	1,695.09	6	1,803.23	6		6		6		6		6		6		6	
1/4	1,549.57	1/4	1,698.18	1/4	1,803.41	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,552.66	1/2	1,701.28	3/8	1,803.44	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,555.76	3/4	1,704.37	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	1,558.86	7	1,707.47	7		7		7		7		7		7		7		7	
1/4	1,561.95	1/4	1,710.57	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,565.05	1/2	1,713.66	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,568.14	3/4	1,716.76	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	1,571.24	8	1,719.85	8		8		8		8		8		8		8		8	
1/4	1,574.34	1/4	1,722.95	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,577.43	1/2	1,726.05	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,580.53	3/4	1,729.14	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	1,583.63	9	1,732.24	9		9		9		9		9		9		9		9	
1/4	1,586.72	1/4	1,735.33	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,589.82	1/2	1,738.43	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,592.91	3/4	1,741.53	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	1,596.01	10	1,744.62	10		10		10		10		10		10		10		10	
1/4	1,599.11	1/4	1,747.72	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,602.20	1/2	1,750.81	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,605.30	3/4	1,753.91	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	1,608.39	11	1,757.01	11		11		11		11		11		11		11		11	
1/4	1,611.49	1/4	1,760.00	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,614.59	1/2	1,762.98	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,617.68	3/4	1,765.76	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

SAYBOLT INC.

H S Woodcock III

SAYBOLT INC.
GULF COAST HEADQUARTERS
P.O. BOX 4364
PASADENA, TEXAS 77502

BARGE "PBL-1101"

4 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY BARGE "APEX-1503"

GAUGE HEIGHT 15'-2 7/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	1.27	0	148.57	0	319.63	0	490.54	0	661.45	0	832.46	0	1,003.47	0	1,174.48	0	1,345.48	0	1,516.49
1/4	1.67	1/4	152.13	1/4	323.19	1/4	494.10	1/4	665.01	1/4	836.02	1/4	1,007.03	1/4	1,178.04	1/4	1,349.05	1/4	1,520.06
1/2	2.06	1/2	155.70	1/2	326.75	1/2	497.66	1/2	668.57	1/2	839.58	1/2	1,010.59	1/2	1,181.60	1/2	1,352.61	1/2	1,523.62
3/4	2.86	3/4	159.26	3/4	330.32	3/4	501.21	3/4	672.13	3/4	843.14	3/4	1,014.15	3/4	1,185.16	3/4	1,356.17	3/4	1,527.18
1	4.04	1	162.82	1	333.88	1	504.77	1	675.70	1	846.71	1	1,017.72	1	1,188.73	1	1,359.74	1	1,530.75
1/4	5.23	1/4	166.39	1/4	337.44	1/4	508.33	1/4	679.26	1/4	850.27	1/4	1,021.28	1/4	1,192.29	1/4	1,363.30	1/4	1,534.31
1/2	6.42	1/2	169.95	1/2	341.01	1/2	511.88	1/2	682.82	1/2	853.83	1/2	1,024.84	1/2	1,195.85	1/2	1,366.86	1/2	1,537.87
3/4	8.00	3/4	173.51	3/4	344.57	3/4	515.44	3/4	686.39	3/4	857.39	3/4	1,028.40	3/4	1,199.41	3/4	1,370.42	3/4	1,541.43
2	9.98	2	177.08	2	348.14	2	519.00	2	689.95	2	860.96	2	1,031.97	2	1,202.98	2	1,373.99	2	1,545.00
1/4	11.96	1/4	180.64	1/4	351.70	1/4	522.56	1/4	693.51	1/4	864.52	1/4	1,035.53	1/4	1,206.54	1/4	1,377.55	1/4	1,548.56
1/2	13.94	1/2	184.21	1/2	355.26	1/2	526.11	1/2	697.07	1/2	868.08	1/2	1,039.09	1/2	1,210.10	1/2	1,381.11	1/2	1,552.12
3/4	16.71	3/4	187.77	3/4	358.83	3/4	529.67	3/4	700.64	3/4	871.65	3/4	1,042.66	3/4	1,213.66	3/4	1,384.67	3/4	1,555.68
3	20.28	3	191.33	3	362.39	3	533.23	3	704.20	3	875.21	3	1,046.22	3	1,217.23	3	1,388.24	3	1,559.25
1/4	23.84	1/4	194.90	1/4	365.95	1/4	536.78	1/4	707.76	1/4	878.77	1/4	1,049.78	1/4	1,220.79	1/4	1,391.80	1/4	1,562.81
1/2	27.40	1/2	198.46	1/2	369.52	1/2	540.34	1/2	711.32	1/2	882.33	1/2	1,053.34	1/2	1,224.35	1/2	1,395.36	1/2	1,566.37
3/4	30.97	3/4	202.02	3/4	373.08	3/4	543.90	3/4	714.89	3/4	885.90	3/4	1,056.91	3/4	1,227.92	3/4	1,398.93	3/4	1,569.93
4	34.53	4	205.59	4	376.65	4	547.45	4	718.45	4	889.46	4	1,060.47	4	1,231.48	4	1,402.49	4	1,573.50
1/4	38.09	1/4	209.15	1/4	380.21	1/4	551.01	1/4	722.01	1/4	893.02	1/4	1,064.03	1/4	1,235.04	1/4	1,406.05	1/4	1,577.06
1/2	41.66	1/2	212.72	1/2	383.77	1/2	554.57	1/2	725.57	1/2	896.58	1/2	1,067.59	1/2	1,238.60	1/2	1,409.61	1/2	1,580.62
3/4	45.22	3/4	216.28	3/4	387.34	3/4	558.13	3/4	729.14	3/4	900.15	3/4	1,071.16	3/4	1,242.17	3/4	1,413.18	3/4	1,584.19
5	48.79	5	219.84	5	390.90	5	561.69	5	732.70	5	903.71	5	1,074.72	5	1,245.73	5	1,416.74	5	1,587.75
1/4	52.35	1/4	223.41	1/4	394.46	1/4	565.25	1/4	736.26	1/4	907.27	1/4	1,078.28	1/4	1,249.29	1/4	1,420.30	1/4	1,591.31
1/2	55.91	1/2	226.97	1/2	398.03	1/2	568.82	1/2	739.83	1/2	910.84	1/2	1,081.84	1/2	1,252.85	1/2	1,423.86	1/2	1,594.87
3/4	59.48	3/4	230.53	3/4	401.59	3/4	572.38	3/4	743.39	3/4	914.40	3/4	1,085.41	3/4	1,256.42	3/4	1,427.43	3/4	1,598.44
6	63.04	6	234.10	6	405.16	6	575.94	6	746.95	6	917.96	6	1,088.97	6	1,259.98	6	1,430.99	6	1,602.00
1/4	66.60	1/4	237.66	1/4	408.72	1/4	579.50	1/4	750.51	1/4	921.52	1/4	1,092.53	1/4	1,263.54	1/4	1,434.55	1/4	1,605.56
1/2	70.17	1/2	241.22	1/2	412.28	1/2	583.07	1/2	754.08	1/2	925.09	1/2	1,096.10	1/2	1,267.11	1/2	1,438.11	1/2	1,609.12
3/4	73.73	3/4	244.79	3/4	415.84	3/4	586.63	3/4	757.64	3/4	928.65	3/4	1,099.66	3/4	1,270.67	3/4	1,441.68	3/4	1,612.69
7	77.29	7	248.35	7	419.40	7	590.19	7	761.20	7	932.21	7	1,103.22	7	1,274.23	7	1,445.24	7	1,616.25
1/4	80.86	1/4	251.92	1/4	422.96	1/4	593.76	1/4	764.76	1/4	935.77	1/4	1,106.78	1/4	1,277.79	1/4	1,448.80	1/4	1,619.81
1/2	84.42	1/2	255.48	1/2	426.51	1/2	597.32	1/2	768.33	1/2	939.34	1/2	1,110.35	1/2	1,281.36	1/2	1,452.37	1/2	1,623.38
3/4	87.99	3/4	259.04	3/4	430.07	3/4	600.88	3/4	771.89	3/4	942.90	3/4	1,113.91	3/4	1,284.92	3/4	1,455.93	3/4	1,626.94
8	91.55	8	262.61	8	433.63	8	604.44	8	775.45	8	946.46	8	1,117.47	8	1,288.48	8	1,459.49	8	1,630.50
1/4	95.11	1/4	266.17	1/4	437.19	1/4	608.01	1/4	779.02	1/4	950.03	1/4	1,121.03	1/4	1,292.04	1/4	1,463.05	1/4	1,634.06
1/2	98.68	1/2	269.73	1/2	440.74	1/2	611.57	1/2	782.58	1/2	953.59	1/2	1,124.60	1/2	1,295.61	1/2	1,466.62	1/2	1,637.63
3/4	102.24	3/4	273.30	3/4	444.30	3/4	615.13	3/4	786.14	3/4	957.15	3/4	1,128.16	3/4	1,299.17	3/4	1,470.18	3/4	1,641.19
9	105.80	9	276.86	9	447.86	9	618.69	9	789.70	9	960.71	9	1,131.72	9	1,302.73	9	1,473.74	9	1,644.75
1/4	109.37	1/4	280.43	1/4	451.41	1/4	622.26	1/4	793.27	1/4	964.28	1/4	1,135.29	1/4	1,306.30	1/4	1,477.30	1/4	1,648.31
1/2	112.93	1/2	283.99	1/2	454.97	1/2	625.82	1/2	796.83	1/2	967.84	1/2	1,138.85	1/2	1,309.86	1/2	1,480.87	1/2	1,651.88
3/4	116.50	3/4	287.55	3/4	458.53	3/4	629.38	3/4	800.39	3/4	971.40	3/4	1,142.41	3/4	1,313.42	3/4	1,484.43	3/4	1,655.44
10	120.06	10	291.12	10	462.09	10	632.94	10	803.95	10	974.96	10	1,145.97	10	1,316.98	10	1,487.99	10	1,659.00
1/4	123.62	1/4	294.68	1/4	465.64	1/4	636.51	1/4	807.52	1/4	978.53	1/4	1,149.54	1/4	1,320.55	1/4	1,491.56	1/4	1,662.57
1/2	127.19	1/2	298.24	1/2	469.20	1/2	640.07	1/2	811.08	1/2	982.09	1/2	1,153.10	1/2	1,324.11	1/2	1,495.12	1/2	1,666.13
3/4	130.75	3/4	301.81	3/4	472.76	3/4	643.63	3/4	814.64	3/4	985.65	3/4	1,156.66	3/4	1,327.67	3/4	1,498.68	3/4	1,669.69
11	134.31	11	305.37	11	476.31	11	647.20	11	818.21	11	989.21	11	1,160.22	11	1,331.23	11	1,502.24	11	1,673.25
1/4	137.88	1/4	308.94	1/4	479.87	1/4	650.76	1/4	821.77	1/4	992.78	1/4	1,163.79	1/4	1,334.80	1/4	1,505.81	1/4	1,676.82
1/2	141.44	1/2	312.50	1/2	483.43	1/2	654.32	1/2	825.33	1/2	996.34	1/2	1,167.35	1/2	1,338.36	1/2	1,509.37	1/2	1,680.38
3/4	145.01	3/4	316.06	3/4	486.98	3/4	657.88	3/4	828.89	3/4	999.90	3/4	1,170.91	3/4	1,341.92	3/4	1,512.93	3/4	1,683.94

NOTE: CAPACITY TABLE APPLIES ONLY WHEN BARGE IS ON EVEN KEEL.
NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7
NOTE: GAUGE POINT TO TOP LIP OF 8" GAUGE HATCH, OPPOSITE HINGE,
LOCATED 2'-6" OFF CENTERLINE AND 11'-0" FORWARD OF AFT BULKHEAD.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

SAYBOLT INC.

H.B. Woods III

SAYBOLT INC.
GULF COAST HEADQUARTERS
P.O. BOX 4364
PASADENA, TEXAS 77502

BARGE "PBL-1101"

4 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY BARGE "APEX-1503"

GAUGE HEIGHT 15'-2 7/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,687.50	0	1,826.89	0	1,965.63	0		0		0		0		0		0		0	
1/4	1,690.73	1/4	1,829.78	1/4	1,968.32	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,693.63	1/2	1,832.68	1/2	1,971.01	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,696.53	3/4	1,835.58	3/4	1,973.49	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1	1,699.42	1	1,838.48	1	1,975.77	1		1		1		1		1		1		1	
1/4	1,702.32	1/4	1,841.37	1/4	1,978.04	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,705.22	1/2	1,844.27	1/2	1,980.32	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,708.12	3/4	1,847.17	3/4	1,982.39	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2	1,711.01	2	1,850.06	2	1,984.25	2		2		2		2		2		2		2	
1/4	1,713.91	1/4	1,852.96	1/4	1,986.11	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,716.81	1/2	1,855.86	1/2	1,987.97	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,719.70	3/4	1,858.75	3/4	1,989.63	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3	1,722.60	3	1,861.65	3	1,991.07	3		3		3		3		3		3		3	
1/4	1,725.50	1/4	1,864.55	1/4	1,992.52	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,728.39	1/2	1,867.44	1/2	1,993.97	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,731.29	3/4	1,870.34	3/4	1,995.21	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4	1,734.19	4	1,873.24	4	1,996.24	4		4		4		4		4		4		4	
1/4	1,737.08	1/4	1,876.14	1/4	1,997.28	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,739.98	1/2	1,879.03	1/2	1,998.31	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,742.88	3/4	1,881.93	3/4	1,999.14	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5	1,745.77	5	1,884.83	5	1,999.76	5		5		5		5		5		5		5	
1/4	1,748.67	1/4	1,887.72	1/4	2,000.38	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,751.57	1/2	1,890.62	1/2	2,001.00	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,754.47	3/4	1,893.52	3/4	2,001.41	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6	1,757.36	6	1,896.41	6	2,001.61	6		6		6		6		6		6		6	
1/4	1,760.26	1/4	1,899.31	1/4	2,001.82	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,763.16	1/2	1,902.21	1/2	2,002.02	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,766.05	3/4	1,905.10	5/8	2,002.13	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	1,768.95	7	1,908.00	7		7		7		7		7		7		7		7	
1/4	1,771.85	1/4	1,910.90	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,774.74	1/2	1,913.80	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,777.64	3/4	1,916.69	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	1,780.54	8	1,919.59	8		8		8		8		8		8		8		8	
1/4	1,783.43	1/4	1,922.49	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,786.33	1/2	1,925.38	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,789.23	3/4	1,928.28	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	1,792.13	9	1,931.18	9		9		9		9		9		9		9		9	
1/4	1,795.02	1/4	1,934.07	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,797.92	1/2	1,936.97	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,800.82	3/4	1,939.87	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	1,803.71	10	1,942.76	10		10		10		10		10		10		10		10	
1/4	1,806.61	1/4	1,945.66	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,809.51	1/2	1,948.56	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,812.40	3/4	1,951.45	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	1,815.30	11	1,954.35	11		11		11		11		11		11		11		11	
1/4	1,818.20	1/4	1,957.25	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,821.09	1/2	1,960.15	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,823.99	3/4	1,962.94	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

STRAPPED BY: LF-BC 10/27/97
COMPUTED BY: LW 10/31/97
CHECKED BY: HM 10/31/97

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

SAYBOLT INC.

H&Vincent